





Definitions and Formulas for Advanced Mathematics


LOGIC		ALGEBRA	
$a \rightarrow b$	a implies b	$i = \sqrt{-1}$	imaginary unit
$a \leftrightarrow b$	a if and only if b	\bar{z}	complex conjugate of z
$a \wedge b$	a and b	A^{-1}	inverse of matrix A
$a \vee b$	a or b	\mathbf{v}	vector v
$\sim a$	not a	SERIES $\sum_{n=0}^{\infty} ar^n = \frac{a}{1-r} \text{ for } r < 1$	
$A \cup B$	A union B		
$A \cap B$	A intersect B		
\overline{A}	complement of A		
U	universal set		
$\{\}$	empty set		

GEOMETRY


$S = 4\pi r^2$	surface area of a sphere	Parallel Lines 
$V = \frac{4}{3}\pi r^3$	volume of a sphere	
\sim	is similar to	
\cong	is congruent to	
Congruent Angles		Hero's or Heron's Formula 
		
Congruent Sides		
		
		Area = $\sqrt{s(s-a)(s-b)(s-c)}$
		where $s = \frac{a+b+c}{2}$

ALGEBRA

Parabola




Ellipse



$$\frac{(x - h)^2}{a^2} + \frac{(y - k)^2}{b^2} = 1$$

where $c^2 = a^2 - b^2$

Hyperbola



$$\frac{(x - h)^2}{a^2} - \frac{(y - k)^2}{b^2} = 1$$

where $b^2 = c^2 - a^2$

Eccentricity of a Conic

$$e = \frac{c}{a}$$

Directrices of a Conic

$$x = \pm \frac{a}{e} = \pm \frac{a^2}{c}$$

Exponential Growth and Decay

$$y = a(1 \pm r)^t$$

TRIGONOMETRY

$$\sin (\theta_1 \pm \theta_2) = \sin \theta_1 \cos \theta_2 \pm \cos \theta_1 \sin \theta_2$$


$$\cos (\theta_1 \pm \theta_2) = \cos \theta_1 \cos \theta_2 \mp \sin \theta_1 \sin \theta_2$$

$$\tan (\theta_1 \pm \theta_2) = \frac{\tan \theta_1 \pm \tan \theta_2}{1 \mp \tan \theta_1 \tan \theta_2}$$

$$\sin \frac{\theta}{2} = \pm \sqrt{\frac{1 - \cos \theta}{2}}$$

$$\cos \frac{\theta}{2} = \pm \sqrt{\frac{1 + \cos \theta}{2}}$$

$$\tan \frac{\theta}{2} = \pm \sqrt{\frac{1 - \cos \theta}{1 + \cos \theta}}$$



Law of Sines

$$\frac{\sin A}{a} = \frac{\sin B}{b} = \frac{\sin C}{c}$$

Law of Cosines

$$c^2 = a^2 + b^2 - 2ab \cos C$$

STATISTICS

$$\text{standard deviation of a sample mean} = \frac{\sigma}{\sqrt{n}}$$

NOTES FOR ADVANCED MATHEMATICS TEST

In this examination, assume all functions are real valued functions unless otherwise noted.

In this examination, diagrams may not be drawn to scale.

In this examination, assume all geometry problems imply the use of Euclidean geometry unless otherwise noted.